

# Tuesday July 26, 2022 Fairlawn Sewer Authority Board of Directors Meeting

## 1. Welcome and call to order

Subject: Confirmation of a Quorum

Type: Information

A majority of members (3 out of 5) must be in attendance to qualify as a quorum of the Board

#### 2. Approval of the agenda

Subject: Revisions to the agenda

Type: Procedural

All revisions to the published agenda are to be registered and approved prior to discussion

#### 3. Citizen comments

**Subject: Citizen comments** 

Type: Procedural

The Fairlawn Sewer Authority welcomes and appreciates comments and suggestions from the public regarding issues of concern to the Authority.

#### 4. CONSENT ITEMS 5, 6 and 7

#### 5. Approval of minutes

Subject: Review of minutes from monthly meeting

Type: Decision

Suggestion: Approval of minutes from June 28, 2022 Board meeting

#### 6. Financial matters

Subject: Review of monthly statement of revenues and costs

Type: Decision

Suggestion: Approval of financial statement

Subject: Review of customer account status with influence of delinquency

Type: Decision

Suggestion: Approval of account status and activity plan

Subject: Review of budget performance

Type: Decision

Suggestion: Approval of budget status

#### 7. Informational items

Subject: PSA work hours Topic: Information

Subject: Presentation by Wordsprint

Topic: Information

Subject: PCB testing update

Topic: Information

Subject: DEQ notification Topic: Information

Subject: VACORP notice of upcoming audit

Topic: Information

#### 8. Action items new business

Subject: Review Riverbend, Riverbluff, and Hickman Cemetery project recommendations

Topic: Discussion and decisions

Suggestion: Decision

Subject: Review request to reverse Hardees penalty

Topic: Discussion and decision

Suggestion: Decision

Subject: Review draft position profile Topic: Discussion and decision

Suggestion: Decision

#### 9. Action items old business

Subject: Review renter deposit report needs

Topic: Discussion and decision

Suggestion: Decision

Subject: Review Fairlawn Avenue bid submissions

Topic: Discussion and decision

Suggestion: Decision

Attached is our estimate to replace the existing line along Fairlawn Ave. Prices have gone through the roof. The price of 8" PVC pipe has tripled in the last year not to mention the cost of diesel & gas.

Please review and let me know if you have any questions.

Thanks,

H. T. BOWLING, INC.

Kenneth Bowling

Subject: Define next steps mailings
Topic: Discussion and define next steps

Suggestion: Decision

#### 10. Attorney's comments

#### 11. To do listings (highlighted items are being worked on currently)

- **A.** Brooklyn Road sewer extension
- B. Hickman sewer extension
- **C.** Riverbluff sewer extension
- D. Riverbend sewer extension project stopped
- E. Change pump stations to wireless partially completed
- F. Belspring Estates sewer service project stopped
- G. Walnut line replacement tree roots retreated
- H. Madison Avenue tree roots -retreated
- I. Review invoice mailing options started
- J. Define project actions Rt. 114 and Fairlawn Avenue started
- **K.** Find water meter at Brooklyn location
- L. Upgrade wiring at Timberlane pump stations completed
- M. Investigate auto form fill
- N. Investigate online bill pay
- O. Implement corrective actions resulting from FY21 audit summary findings started
- P. Require auto draft for delinquent account holders? started
- Q. Replace Fairlawn Avenue line segment –started
- R. Install manhole ring at Rt. 114 location completed
- S. Telephone meeting with Gordon Jones completed

### 12. Adjournment

The next Board meeting is August 23, 2022 at 6:00 P.M.

## Fairlawn Sewer Authority Board of Directors

## Term Information:

Board of Director Name	Term Expiration Date
Adam P. Hall	October 31, 2023
Gerald T. (Tom) Lillard	October 31, 2024
James R. (Randy) Miles	August 31, 2023
Dennis L. Setliff	December 31, 2024
Joseph L. Sheffey	May 31, 2025

Note: Board of Directors are appointed by the Pulaski Couty Board of Supervisors. Terms on the Board are for three years and there are no term limits.